

MOMA
ceramiche group *UK*

plus
33



General Catalogue

MOMMA

ceramiche group

Made in Italy: certified beauty, tradition, quality and innovation: these are the strong points of Italian ceramics, a category to which we belong by vocation and merit. Identifying with the international brand of value 'made in Italy' requires passion for the well-made, the choice to produce ceramics of excellent quality and above all 100% made in Italy. What counts most when competing in the markets of the world is the high level of creativity that is born in the land of beauty, where designers, technicians and workers are trained according to the principle of aesthetic value achieved by combining design talent with meticulous attention at every stage of the production process. Italian art - which has always been intertwined with first-class craftsmanship - gives life to industry, ceramics in particular, with its great past.

Italian floor and wall tiles

Wood

AMAZZONIA	64
CHALET	66
COOPER	62
NATURALWOOD	72
NOTTINGAM	70
OAK & FEEL	74
OUT & IN	68
SAVAGE	58
VINTAGE	60

20 mm

ECOSLATE	84
LA BLUE	78
PIETRA LIGURE	82
VINTAGE	80

Decorations

BOTANICAL	120
ECOSLATE	136
ESSENZIALE	138
NATURA	130
RESINA'	126
VERNISSAGE	134

Kitchen

ARTISAN	142
GRUNGE	144
TALE'	146

Floor Tiles

BESTONE	46
DORSET	6
ECOSLATE	8
GRUNGE	50
HERITAGE	14
LA BLUE	34
MARMETTE	36
MARMI PREGIATI	28
MATILDE	12
MOOD	38
OCCITANIE	20

OXID	32
PIETRA LIGURE	22
POLINESIA	44
PULPIS	26
RESINA'	16
ROCKS	40
SINTRA	42
TALÈ	48
TRAVERTINO	52
TREX	24
WAVE	54

Wall Tiles

ARTISAN	88
BEST	96
BOTANICAL	102
ESSENZIALE	104
HABITA	112
KI MATCH	90
LINE UP	98
MARVEL	100
ORIONE	106
RIFLESSI	114
SUMMER	115

TRAVERTINO	115
TREVISE	117
TREX	108
VERNISSAGE	92
WHITE & WOOD	116

MOMA
ceramiche group


Floor Tiles

BESTONE	46
DORSET	6
ECOSLATE	8
GRUNGE	50
HERITAGE	14
LA BLUE	34
MARMETTE	36
MARMI PREGIATI	28
MATILDE	12
MOOD	38
OCCITANIE	20
OXID	32
PIETRA LIGURE	22
POLINESIA	44
PULPIS	26
RESINA'	16
ROCKS	40
SINTRA	42
TALÈ	48
TRAVERTINO	52
TREX	24
WAVE	54

DORSET

R9:
60x120
90x90
60x60

R11:
90x90 

R11 - 20mm:
60x60 



Mud 60x120

Floor Tiles

Porcelain Stoneware

Thickness 9,5 mm.

PEI V

Rectified


60x120
90x90
60x60

Sand



SDOP15 Dorset Sand 60x120
SDOP10 Dorset Sand 90x90
SDOP01 Dorset Sand 60x60

Mud



SDOP17 Dorset Mud 60x120
SDOP12 Dorset Mud 90x90
SDOP03 Dorset Mud 60x60

Grey



SDOP16 Dorset Grey 60x120
SDOP11 Dorset Grey 90x90
SDOP02 Dorset Grey 60x60

Silver



SDOP19 Dorset Silver 60x120
SDOP21 Dorset Silver 90x90
SDOP20 Dorset Silver 60x60

ECOSLATE

R9:
60x120
90x90
60x60
30x60

R11:
90x90 

R11 - 20mm:
60x60 



Black 90x90

Floor Tiles
Wall Tiles

Porcelain Stoneware

Thickness 9 mm.
Thickness 9,5 mm.
GRIP R11 20 mm.

PEI IV

Not Rectified
Rectified

60x120
90x90
60x60
30x60

White



PSLPRLC2 Ecoslate White RT 9,5 mm 60x120
PSLPR1S Ecoslate White RT 9 mm 90x90
PSLPREC Ecoslate White RT. 9 mm 60x60
PSLPRQ Ecoslate White RT **Grip 20 mm** 60x60
PSLPRAC Ecoslate White RT 9 mm 30x60

Grey



PSLPRNC2 Ecoslate Grey RT 9,5 mm 60x120
PSLPRGC Ecoslate Grey RT 9 mm 60x60
PSLPRS Ecoslate Grey RT **Grip 20 mm** 60x60
PSLPRCC Ecoslate Grey RT 9 mm 30x60

Black



PSLPRHC Ecoslate Black RT 9 mm 60x60
PSLPR1T Ecoslate Antracite RT **Grip 20 mm** 60x60
PSLPRDC Ecoslate Black RT 9 mm 30x60

Beige



PSLPRMC2 Ecoslate Beige RT 9,5 mm 60x120
PSLPR2S Ecoslate Beige RT 9 mm 90x90
PSLPRFC Ecoslate Beige RT 9 mm 60x60
PSLPRR Ecoslate Beige RT **Grip 20 mm** 60x60
PSLPRBC Ecoslate Beige RT 9 mm 30x60

ECOSLATE

Floor Tiles Wall Tiles	Porcelain Stoneware	Thickness 9 mm.	PEI IV	Not Rectified Rectified	60x120
		Thickness 9,5 mm. GRIP R11 20 mm.			90x90 60x60 30x60

Beige



- PSLPRMC2** Ecoslate Beige RT 9,5 mm 60x120
- PSLPR2S** Ecoslate Beige RT 9 mm 90x90
- PSLPRFC** Ecoslate Beige RT 9 mm 60x60
- PSLPRR** Ecoslate Beige RT **Grip 20 mm** 60x60
- PSLPRBC** Ecoslate Beige RT 9 mm 30x60

Batik Beige



PSLPRZC2 Ecoslate Batik Beige RT 9,5 mm 60x120




Beige 60x120
Batik Beige 60x120

MATILDE

R10:
60x90

R11:
60x90 

R11 - 20mm:
60x90 



Bronzo 60x90

Floor Tiles
Wall Tiles

Porcelain Stoneware

Thickness 10 mm.
GRIP R11 20 mm.

PEI IV

Rectified

60x90

Avorio



Matilde Avorio RT Anticato 60x90

Bronzo



Matilde Bronzo RT Anticato 60x90

Cenere



Matilde Cenere RT Anticato 60x90

HERITAGE

R9:
60x60



Grey 60x60

Floor Tiles

Porcelain Stoneware

Thickness 9 mm.

PEI IV

Rectified

60x60

Sand



SR810100 Heritage Sand RT 60x60

Taupe



SR810102 Heritage Taupe RT 60x60

Grey



SR810101 Heritage Grey RT 60x60

RESINA'

R9:
60x120
60x60



Ghiaccio 60x60



Grigio 60x120

Floor Tiles
Wall Tiles

Porcelain Stoneware

Thickness 9,5 mm.

PEI IV Rectified

60x120
60x60

Ghiaccio



IRSR13 Resina' Ghiaccio RT 60x120
IRSR05 Resina' Ghiaccio RT 60x60

Almond



IRSR14 Resina' Almond RT 60x120
IRSR06 Resina' Almond RT 60x60

Grigio



IRSR16 Resina' Grigio RT 60x120
IRSR08 Resina' Grigio RT 60x60

Taupe



IRSR15 Resina' Taupe RT 60x120
IRSR07 Resina' Taupe RT 60x60

RESINA'

Wall Tiles

Porcelain Stoneware

Thickness 9,5 mm.

PEI IV

Rectified

60x120

Forest Mix



IRSD01 Resina' Forest Mix RT 60x120

Triangle Gold Mix



IRSD02 Resina' Triangle Gold Mix RT 60x120

Jungle Bianco Mix



IRSD03 Resina' Jungle Bianco Mix RT 60x120

Jungle Avio Mix



IRSD04 Resina' Jungle Avio Mix RT 60x120



Jungle Bianco Mix 60x120

OCCITANIE

R9:
40x60



Beige Modulo R11



Grey

Floor Tiles

Porcelain Stoneware

Thickness 9 mm.

PEI V

Not Rectified

40x60
Modulo

Beige




POCP01 Occitanie Beige 40X60

Grey



POCP02 Occitanie Grey 40X60

Beige Modulo




POCPM1 Occitanie Modulo Beige

PIETRA LIGURE

R10B:

120x120 

60x120 

80x80

60x60

30x60

R11 - 20mm:

80x80

60x60



Avorio 60x60



Nero 30x60

Floor Tiles

Porcelain Stoneware

Thickness 10 mm.
Grip 20 mm

PEI IV

Rectified

120x120
60x120
80x80
60x60
30x60

Sabbia



HPIP13 Pietra Ligure Sabbia RT I 60X60



HPIP03 Pietra Ligure Sabbia RT 30X60

Grigio



HPIP11 Pietra Ligure Grigio RT I 60X60



HPIP01 Pietra Ligure Grigio RT I 30X60

Antracite



HPIP12 Pietra Ligure Antracite RT I 60X60



HPIP02 Pietra Ligure Antracite RT I 30X60

Avorio



HPIP14 Pietra Ligure Avorio RT I 60X60



HPIP04 Pietra Ligure Antracite RT I 30X60

R9:
60x120
60x60
30x60



Grey 60x120



Ivory 60x60

Floor Tiles
 Wall Tiles

Porcelain Stoneware

Thickness 10 mm.

PEI IV Rectified

60x120
 60x60
 30x60

Ice



PRXPRA Trex Ice RT 60x120
PRXPR1 Trex Ice RT 60x60
PRXPR5 Trex Ice RT 30x60

Ivory



PRXPRC Trex Ivory RT 60x120
PRXPR3 Trex Ivory RT 60x60
PRXPR7 Trex Ivory RT 30x60

Grey




PRXPRB Trex Grey RT 60x120
PRXPR2 Trex Grey RT 60x60
PRXPR6 Trex Grey RT 30x60

Sand



PRXPRD Trex Sand RT 60x120
PRXPR4 Trex Sand RT 60x60
PRXPR8 Trex Sand RT 30x60

See the coordinated wall tiles series TREX on page 108



PULPIS

R9:
60x120



Taupe 60x120



Greige 60x120

Floor Tiles

Porcelain Stoneware

Thickness 10 mm.

PEI IV Rectified

60x120

Greige



HPPP03 Pulpis Greige Matt 60x120

Silver



HPPP02 Pulpis Silver Matt 60x120

Beige



HPPP01 Pulpis Beige Matt 60x120

Almond



HPPP04 Pulpis Almond Matt 60x120

Taupe



HPPP05 Pulpis Taupe Matt 60x120

MARMI PREGIATI

R9:

120x120

60x120

60x60



Pulpis Ivoire 60x60



Soveraia Silver 60x120

Floor Tiles

Porcelain Stoneware

Thickness 10 mm.

PEI IV

Rectified

120x120
60x120
60x60

Statuario



- HMPP22 Statuario Lev 120x120
- HMPP52 Statuario Matt 120x120
- HMPP12 Statuario Lev 60x120
- HMPP42 Statuario Matt 60x120
- HMPP02 Statuario Lev 60x60

Pulpis Gris



- HMPP24 Pulpis Gris Lev 120x120
- HMPP54 Pulpis Gris Matt 120x120
- HMPP14 Pulpis Gris Lev 60x120
- HMPP44 Pulpis Gris Matt 60x120
- HMPP04 Pulpis Gris Lev 60x60

Pulpis Ivoire



- HMPP25 Pulpis Ivoire Lev 120x120
- HMPP55 Pulpis Ivoire Matt 120x120
- HMPP15 Pulpis Ivoire Lev 60x120
- HMPP45 Pulpis Ivoire Matt 60x120
- HMPP05 Pulpis Ivoire Lev 60x60

Soveraia Silver



- HMPP27 Soveraia Silver Lev 120x120
- HMPP57 Soveraia Silver Matt 120x120
- HMPP17 Soveraia Silver Lev 60x120
- HMPP47 Soveraia Silver Matt 60x120
- HMPP07 Soveraia Silver Lev 60x60

Soveraia Grey



- HMPP26 Soveraia Grey Lev 120x120
- HMPP56 Soveraia Grey Matt 120x120
- HMPP16 Soveraia Grey Lev 60x120
- HMPP46 Soveraia Grey Matt 60x120
- HMPP06 Soveraia Grey Lev 60x60

Calacatta



- HMPP21 Calacatta Lev 120x120
- HMPP51 Calacatta Matt 120x120
- HMPP11 Calacatta Lev 60x120
- HMPP41 Calacatta Matt 60x120
- HMPP01 Calacatta Lev 60x60

Sahara Noir



- HMPP29 Sahara Noir Lev 120x120
- HMPP59 Sahara Noir Matt 120x120
- HMPP19 Sahara Noir Lev 60x120
- HMPP49 Sahara Noir Matt 60x120
- HMPP09 Sahara Noir Lev 60x60

Soveraia Beige



- HMPP28 Soveraia Beige Lev 120x120
- HMPP58 Soveraia Beige Matt 120x120
- HMPP18 Soveraia Beige Lev 60x120
- HMPP48 Soveraia Beige Matt 60x120
- HMPP08 Soveraia Beige Lev 60x60



Sahara Noir 60x120

R9:

60x120 

90x90

60x60



Copper 90x90



Carbon 60x60

Floor Tiles

Porcelain Stoneware

Thickness 10 mm.

PEI IV

Rectified

60x120
90x90
60x60

Beige



HXDP03 Oxid Beige RT 90x90
HXDP13 Oxid Beige RT 60x60

Copper



HXDP34 Oxid Copper RT 60x120 
HXDP04 Oxid Copper RT 90x90 
HXDP14 Oxid Copper RT 60x60



Grey



HXDP01 Oxid Grey RT 90x90
HXDP11 Oxid Grey RT 60x60

Carbon



HXDP32 Oxid Carbon RT 60x120 
HXDP02 Oxid Carbon RT 90x90 
HXDP12 Oxid Carbon RT 60x60

LA BLUE

R9:
60x120
60x60
30x60

R11 - 20mm:
60x60



Nero 60x60



Grigio 20mm 60x60

Floor Tiles
Wall Tiles

Porcelain Stoneware

Thickness 10 mm.
GRIP R11 20mm.

PEI IV
PEI V

Rectified

60x120
60x60
30x60

Taupe



SR621002N La Blue Taupe RT 60x120
S601002N La Blue Taupe RT 60x60
SRH2601002A La Blue Taupe Outdoor R11 20mm 60x60



SR101002N La Blue Taupe RT 30x60

Grigio



SR621001N La Blue Grigio RT 60x120
S601001N La Blue Grigio RT 60x60
SRH2601001A La Blue Grigio Outdoor R11 20mm 60x60



SR101001N La Blue Grigio RT 30x60

Nero



S601000N La Blue Nero RT 60x60
SRH2601000A La Blue Nero Outdoor R11 20mm 60x60



SR101000N La Blue Nero RT 30x60

MARMETTE

R9:
60x60



Bianco 60x60

Floor Tiles
Wall Tiles

Porcelain Stoneware

Thickness 10 mm.

PEI IV
PEI V

Rectified


60x60

Bianco



SR601142 Marmette Bianco RT 60x60

Mix



SR601141 Marmette Mix RT 60x60

MOOD

R9:
60x60
30x60

R11:
60x60 



Silver 60x60



Grey 60x60

Floor Tiles
Wall Tiles

Porcelain Stoneware

Thickness 10 mm.

PEI IV
PEI V

Rectified

60x60

Almond




SR601340 Mood Almond RT 60x60
SR601340A Mood Almond RT **Outdoor R11** 60x60



SR101340 Mood Almond RT 30x60 | 12"x24"

Silver



SR601343 Mood Silver RT 60x60
SR601343A Mood Silver RT **Outdoor R11** 60x60



SR101343 Mood Silver RT 30x60

Grey



SR601341 Mood Grey RT 60x60
SR601341A Mood Grey RT **Outdoor R11** 60x60



SR101341 Mood Grey RT 30x60

ROCKS

R9:
30x60



Grigio 30x60



Almond 30x60

Floor Tiles
Wall Tiles

Porcelain Stoneware

Thickness 9 mm.

PEI IV
PEI V

Not Rectified

30x60

Almond



S101280 Rocks Almond 30x60

Beige



S101281 Rocks Beige 30x60

Grigio



S101283 Rocks Grigio 30x60

Nero



S101284 Rocks Nero 30x60



Beige 30x60

SINTRA

R9:
30x60



Beige 30x60



Black 30x60

Floor Tiles
Wall Tiles

Porcelain Stoneware

Thickness 9 mm.

PEI IV
PEI V

Not Rectified

30x60

White



S10801 Sintra White 30x60

Beige



S10804 Sintra Beige 30x60

Grey



S10802 Sintra Grey 30x60

Black



S10800 Sintra Black 30x60



White 30x60

POLINESIA

R9:
30x60
21,6x21,6

R11:
30x60



Singaraya 30x60



Padang 30x60

Floor Tiles
Wall Tiles

Porcelain Stoneware

Thickness 8,3 mm.

PEI IV
PEI V

Not Rectified


30x60
21,6x21,6

Singaraya




IPBP01 Polinesia Singaraya Nat. 30x60

Padang R11



IPBP11 Polinesia Padang Grip R11 30x60

Denpasar



IPBP02 Polinesia Denpasar Nat. 21,6x21,6

BESTONE

R9:
30x60



Be Mud Grip R11 30x60



Be Grey Grip R11 30x60

Floor Tiles
Wall Tiles

Porcelain Stoneware

Thickness 10 mm.

PEI IV

Rectified

30x60

Be Ivory



BE100 Be Ivory Naturale 30x60

Be Ice



BE300 Be Ice Naturale 30x60

Be Mud



BE500 Be Mud Naturale 30x60

Be Ice



BE700 Be Grey Naturale 30x60

See the coordinated wall tiles series BEST on page 96



R9:
21,6x21,6



Talè Misilmeri 21,6x21,6



Talè Ortigia 21,6x21,6

Floor Tiles
Wall Tiles

Porcelain Stoneware


Thickness 9 mm.

PEI IV

Not Rectified

21,6x21,6

Misilmeri posa 4 pz



STAP04 Talè Misilmeri 21,6x21,6

Pachino posa 4 pz



STAP07 Talè Pachino 21,6x21,6

Mondello posa 4 pz



STAP05 Talè Mondello 21,6x21,6

Sferracavallo posa 4 pz



STAP08 Talè Sferracavallo 21,6x21,6

Makari posa 4 pz



STAP02 Talè Makari 21,6x21,6

Ortigia posa 4 pz



STAP06 Talè Ortigia 21,6x21,6

Ustica posa 4 pz



STAP09 Talè Ustica 21,6x21,6

Marzamemi posa 4 pz



STAP03 Talè Marzamemi 21,6x21,6

GRUNGE

R9:
7x21,6



Grunge Blu 7x21,6



Grunge Verde 7x21,6

Floor Tiles
Wall Tiles

Porcelain Stoneware

Thickness 9 mm.

Not Rectified

7x21,6

Bianco posa 6 pz



SGRP01 Grunge Bianco

Grigio posa 6 pz



SGRP04 Grunge Grigio

Fumo posa 6 pz



SGRP03 Grunge Fumo

Verde posa 6 pz



SGRP06 Grunge Verde

Blu posa 6 pz



SGRP02 Grunge Blu

Nero posa 6 pz



SGRP05 Grunge Nero



Grunge Nero 7x21,6

TRAVERTINE

R9:
60x120
60x60



Cream 60x120

Floor Tiles

Porcelain Stoneware

Thickness 9,5 mm.
Thickness 9 mm.

PEI

Rectified

60x120
60x60

Bone



STRP01 Travertine Bone 60x120
STRP05 Travertine Bone 60x60

Cream



STRP03 Travertine Cream 60x120
STRP07 Travertine Cream 60x60

Silver



STRP13 Travertine Silver 60x120
STRP15 Travertine Silver 60x60



Silver 60x60

WAVES

R9:

60x120

60x60

30x60



Storm 60x120

Floor Tiles

Porcelain Stoneware

Thickness 9,5 mm.

PEI

Rectified

60x120
60x60
30x60

Cloud



SWAP01 Waves Cloud 60x120
SWAP05 Waves Cloud 60x60
SWAP09 Waves Cloud 30x60

Foam



SWAP02 Waves Foam 60x120
SWAP06 Waves Foam 60x60
SWAP10 Waves Foam 30x60

Sand



SWAP03 Waves Sand 60x120
SWAP07 Waves Sand 60x60
SWAP11 Waves Sand 30x60

Storm



SWAP04 Waves Storm 60x120
SWAP08 Waves Storm 60x60
SWAP12 Waves Storm 30x60

MOMA
ceramiche group

Wood

AMAZZONIA	64
CHALET	66
COOPER	62
NATURALWOOD	72
NOTTINGAM	70
OAK & FEEL	74
OUT & IN	68
SAVAGE	58
VINTAGE	60

SAVAGE

R9:
20x120



Natural 20x120

Floor Tiles

Porcelain Stoneware

Thickness 9,5 mm.

PEI V

Rectified

20x120

Almond



SVGP03 Savage Almond 20x120

Natural



SVGP01 Savage Natural 20x120

Caramel



SVGP04 Savage Caramel 20x120

Cognac



SVGP02 Savage Cognac 20x120




Cognac 20x120

VINTAGE

20x120

ANTISLIP GRIP R11

30x122

40x122 



Sbiancato 20x120



Marrone 20x120

Floor Tiles

Porcelain Stoneware

Thickness 9,5 mm.
30x122: 20 mm
40x122: 20 mm

PEI IV
PEI V

Rectified

40x122
30x122
20x120

Sbiancato




S20563 Vintage Sbiancato 20x120

Bianco



S20560 Vintage Bianco 20x120

SRH227010A Vintage Bianco Grip R11 20mm 30x122

SRH242010A Vintage Bianco Grip R11 20mm 40x122 

Grigio



S20561 Vintage Grigio 20x120

Marrone




S20562 Vintage Marrone 20x120

Miele



S20564 Vintage Miele 20x120

SRH227011A Vintage Miele Grip R11 20mm 30x122

SRH242011A Vintage Miele Grip R11 20mm 40x122 

COOPER

20x120

ANTISLIP GRIP R11
20x120 



Nocciolo 20x120



Betulla 20x120

Floor Tiles

Porcelain Stoneware

Thickness 9,5 mm.

PEI IV

Not Rectified

20x120

Betulla



PCOP10 Cooper Betulla 20x120

PCOP20 Cooper Betulla Grip R11 20x120 

Frassino



PCOP11 Cooper Frassino 20x120

Ulivo



PCOP12 Cooper Ulivo 20x120

PCOP22 Cooper Ulivo Grip R11 20x120 

Nocciolo



PCOP13 Cooper Nocciolo 20x120

PCOP23 Cooper Nocciolo Grip R11 20x120 

Teak



PCOP14 Cooper Teak 20x120

AMAZZONIA

20x120



Blu 20x120

Floor Tiles

Porcelain Stoneware

Thickness 9,5 mm.

PEI V

Not Rectified

20x120

Blu



S201105 Amazonia Blu 20x120



Blu 20x120

CHALET

20x120



Brown 20x120

Floor Tiles

Porcelain Stoneware

Thickness 9,5 mm.

PEI V

Not Rectified

20x120

Brown



S2001 Chalet Brown 20x120



Brown 20x120

OUT & IN

ANTISLIP GRIP R11
15x60



Grey Kane 15x60

Floor Tiles

Porcelain Stoneware

Thickness 9 mm.

PEI IV

Not Rectified

15x60

Emeri



OY100 Out&In Emeri R11 15x60



Ceiba



OY200 Out&In Ceiba R11 15x60



Grey Kane



OY300 Out&In Grey Kane R11 15x60



NOTTINGHAM

15x60



Milk 15x60

Floor Tiles

Porcelain Stoneware

Thickness 9 mm.

PEI IV

Not Rectified

15x60

Milk



NG100 Nottingham Milk 15x60

Stone



NG500 Nottingham Stone 15x60

Almond



NG200 Nottingham Almond 15x60

Walnut



NG300 Nottingham Walnut 15x60

Taupe



NG400 Nottingham Taupe 15x60



Stone 15x60

NATURALWOOD

15x60



Almond 15x60

Floor Tiles

Porcelain Stoneware

Thickness 9 mm.

PEI IV

Not Rectified

15x60

Ivory



HNTP01 NaturalWood Ivory 15x60

Almond



HNTP02 NaturalWood Almond 15x60

Walnut



HNTP03 NaturalWood Walnut 15x60

Silver



HNTP04 NaturalWood Silver 15x60



Ivory 15x60

OAK & FEEL

20x90



Floor Tiles

Porcelain Stoneware

Thickness 9 mm.

PEI IV

Not Rectified

20x90

White



IOKP01 White Oak 20x90

Natural



IOKP03 Natural Oak 20x90

Dark



IOKP05 Dark Oak 20x90

Black



PFEP05 Feel Black 20,3x90,6



MOMA
ceramiche group

20 mm

ECOSLATE	84
LA BLUE	78
PIETRA LIGURE	82
VINTAGE	80

LA BLUE

R11 - 20mm:
60x60



Grigio 60x60

Floor Tiles

Porcelain Stoneware

Thickness 20 mm.

PEI IV
PEI V

Rectified

60x60

Taupe



SRH2601002A La Blue Taupe Outdoor R11 60x60

Grigio



SRH2601001A La Blue Grigio Outdoor R11 60x60

Nero



SRH2601000A La Blue Nero Outdoor R11 60x60

VINTAGE

R11 - 20mm:

30x122

40x122 



Floor Tiles

Porcelain Stoneware

Thickness 20 mm.

PEI IV
PEI V

Rectified

30x122

Bianco



SRH227010A Vintage Bianco Grip Outdoor R11 30x122

SRH242010A Vintage Bianco Grip Outdoor R11 40x122 

Miele



SRH227011A Vintage Miele Grip Outdoor R11 30x122

SRH242011A Vintage Miele Grip Outdoor R11 40x122 

PIETRA LIGURE

R11 - 20mm:

80x80

60x60



Sabbia 80x80

Floor Tiles

Porcelain Stoneware

Thickness 20 mm.

PEI IV

Rectified

80x80

Sabbia



HPIP33 Pietra Ligure Sabbia **Outdoor R11** 80x80
HPIP73 Pietra Ligure Sabbia **Outdoor R11** 60x60

Grigio



HPIP31 Pietra Ligure Grigio **Outdoor R11** 80x80
HPIP71 Pietra Ligure Grigio **Outdoor R11** 60x60

Antracite



HPIP32 Pietra Ligure Antracite **Outdoor R11** 80x80
HPIP72 Pietra Ligure Antracite **Outdoor R11** 60x60

ECOSLATE

R11 - 20mm:
60x60 



Sabbia 80x80

Floor Tiles

Porcelain Stoneware


Thickness 20 mm.

PEI V

Rectified

60x60

White



PSLPRQ Ecoslate 2 White RT Outdoor Grip 60x60

Grey



PSLPRS Ecoslate 2 Grey RT Outdoor Grip 60x60

Antracite



PSLPRT Ecoslate 2 Antracite RT Outdoor Grip 60x60

Beige



PSLPRR Ecoslate 2 Beige RT Outdoor Grip 60x60

MOMA
ceramiche group

Watt Tiles

ARTISAN	88
BEST	96
BOTANICAL	102
ESSENZIALE	104
HABITA	112
KI MATCH	90
LINE UP	98
MARVEL	100
ORIONE	106
RIFLESSI	114
SUMMER	115
TRAVERTINO	115
TREVISE	117
TREX	108
VERNISSAGE	92
WHITE & WOOD	116

ARTISAN

25x60



Grigio 25x60

Wall Tiles

Traditional Double Fired

Thickness 8,3 mm.

25x60

Bianco



SRAR01

Grigio



SRAR02

Cipria



SRAR04

Verde



SRAR03

Azzurro



SRAR05

Blu



SRAR06



Verde 25x60

KI MATCH

25x60



Beige 25x60
Kenzia Beige 25x60

Wall Tiles

Traditional Double Fired

Thickness 8 mm.

Monocaliber

25x60

White



IKYR01 White 25x60

Grey



IKYR03 Grey 25x60

Beige



IKYR02 Beige 25x60

Kenzia Grey



IKYD05 Kenzia Grey 8 faces* 25x60

Kenzia Beige



IKYD04 Kenzia Beige 8 faces* 25x60

* the 8 faces of the Kenzia decoration are randomly mixed in the box

VERNISSAGE

25x60



Vernissage Neve 25x60
Acrilico Denim 25x60
Vernissage Denim 25x60

Wall Tiles

Traditional Double Fired

Thickness 9,5 mm.

Monocaliber

25x60

Neve



IVA100 Vernissage Neve 25x60



IVA150 Trame Neve 25x60

Cenere




IVA600 Vernissage Cenere 25x60



IVA650 Trame Cenere 25x60

Denim



IVA400 Vernissage Denim 25x60



IVA450 Trame Denim 25x60

Oliva



IVA300 Vernissage Oliva 25x60



IVA350 Trame Oliva 25x60

Acrilico



IVAR23 Acrilico Denim 25x60

Pattern Mix



IVAR21 Pattern Mix Denim 25x60



IVAR22 Pattern Mix Cenere 25x60

VERNISSAGE

Wall Tiles

Traditional Double Fired

Thickness 9,5 mm.

Monocaliber

25x60

Oliva



IVAR25 Composizione Tropicana 10 facce 25x60



Vernissage Neve 25x60
Trama Oliva 25x60
Composizione Tropicana 25x60

BEST

25x60



Best Ultra White 25x60
Sculpture Ultra White 25x60
Floor Tiles: Evergreen Honey 15,3x100

Wall Tiles

Traditional Double Fired

Thickness 9 mm.

Monocaliber

25x60



BS100 Best Ice 25x60



BS400 Best Ivory 25x60



BS200 Sculpture Ice 25x60




BS500 Sculpture Ivory 25x60




BS300 Best Wall Ice 25x60



BS600 Best Wall Ivory 25x60



BS700 Best Ultra White 25x60




BS800 Sculpture Ultra White 25x60

See the coordinated floor tiles series BESTONE on page 46




Be Ivory



Be Ice



Be Mud



Be Grey

LINE UP

20x50



Dune White Matt 20x50
Lineup White Lux 20x50


Wall Tiles

Traditional Double Fired

Thickness 8 mm.

Monocaliber

25x60



PLUR01 Lineup White Matt 20x50



PLUR06 Lineup White Lux 20x50



PLUR11 Dune White Matt 20x50



PLUR16 Dune White Lux 20x50

MARVEL

20x60



Mosaico Esagono Grigio 20x60
100

Wall Tiles

Traditional Double Fired

Thickness 9 mm.

Monocaliber

20x60



IMAR03 Marvel Grigio 20x60



IMAR04 Marvel Grigio Scuro 20x60



IMAR11 Marvel Mos. Esagono Grigio 20x60

coordinated floor tiles



FRGR425 Riflessi Grigio 45x45

BOTANICAL

25x75



Botanical Green Savage 25x75

Wall Tiles

Traditional Double Fired

Thickness 8,3 mm.

25x75

Pigment Gloss White



SPGR01 Botanical Pigm. Gloss White 25x75

Pigment Gloss Blue



SPGR03 Botanical Pigm. Gloss Blue 25x75

Pigment Gloss Green



SPGR04 Botanical Pigm. Gloss Green 25x75

Essential A+B+C



SBOTR09 Botanical Essential

Blue Forest A+B+C




SBOTR05 Botanical Blue Forest

Green Savage A+B+C



SBOTR01 Botanical Green Savage

Romantic A+B+C+D



SBOTR25 Botanical Romantic

Water Color A+B+C



SBOTR17 Botanical Water Color

Garden A+B+C



SBOTR13 Botanical Garden

ESSENZIALE

25x75



Imperial 25x75
104

Wall Tiles

Traditional Double Fired

Thickness 9 mm.

Monocaliber

25x75



IESR01 Essenziale Bianco 25x75



IESR03 Onde Essenziale 25x75



IESR04 Linee Essenziale 25x75



IESR08 Essenziale Grigio 25x75



IESR07 Imperial A+B 25x75

ORIONE

25x75



Focus Grigio 25x75

10606

Wall Tiles

Traditional Double Fired

Thickness 9 mm.

Monocaliber

25x75



HONR03 Orione Grigio 25x75



HONR10 Orione Focus Grigio 25x75

25x75



Trex Ice 25x75
Trex Brick Grey 25x75

Wall Tiles

Traditional Double Fired

Thickness 9 mm.

Monocaliber

25x75



PRXR01 Trex Ice 25x75




PRXR02 Trex Grey 25x75



PRXR12 Trex Brick Grey 25x75


See the coordinated floor tiles series TREX on page 24



Ice



Ivory



Grey



Sand

Wall Tiles

Traditional Double Fired

Thickness 9 mm.

Monocaliber

25x75



PRXR03 Trex Ivory 25x75




PRXR04 Trex Sand 25x75



PRXR14 Trex Brick Sand 25x75

See the coordinated floor tiles series TREX on page 24



Ice



Ivory



Grey



Sand



Trex Ivory 25x75
Trex Brick Sand 25x75

HABITA

20x50



Struttura Stick Grey 20x50

Wall Tiles

Traditional Double Fired

Thickness 9 mm.

Monocaliber

20x50



HHAR02 Habita Ghiaccio 20x50



HHAR04 Habita Grey 20x50



HHAR08 Habita Struttura Stick Grey 20x50

RIFLESSI

25x60

Wall Tiles | Traditional Double Fired | Thickness 9 mm. | Monocaliber | 25x60



FR885 Riflessi Neutro 25x60



FR889 Riflessi Muretto Grigio 25x60



FR887 Riflessi Grigio 25x60

coordinated floor tiles



FRGR425 Riflessi Grigio 45x45

SUMMER

20x50

Wall Tiles | Traditional Double Fired | Thickness 8 mm. | Monocaliber | 20x50



SUM100 Summer White 20x50



BU002 Travertino Classico Grigio 20x50



BU003 Travertino Classico Antracite 20x50

WHITE & WOOD

25x40

Wall Tiles | Traditional Double Fired | Thickness 7 mm. | Monocaliber | 25x40



WW400 Wood Grey 25x40



WW410 Brick Grey 25x40

TREVISE

20x50

Wall Tiles | Traditional Double Fired | Thickness 8 mm. | Monocaliber | 20x50



SJ300 Trevis Gris 20x50



SJ100 Decoro Trevis Gris 20x50



SJ430 Trevis Fumè 20x50



SJ435 Muretto Trevis Fumè 20x50

coordinated porcelain stoneware floor tiles - thickness 8,5 mm



FRGR425 Riflessi Grigio 45x45

MOMA
ceramiche group

Decorations

BOTANICAL	120
ECOSLATE	136
ESSENZIALE	138
NATURA	130
RESINA'	126
VERNISSAGE	134

BOTANICAL

25x75

Wall Tiles

Traditional Double Fired

Thickness 8,3 mm.

25x75

Pigment Gloss Green



SPGR04 Botanical Pigm. Gloss Green 25x75

Green Savage A+B+C



SBOTR01 Botanical Green Savage

Garden A+B+C



SBOTR13 Botanical Garden



Botanical Green Savage



Botanical Garden

BOTANICAL

25x75

Wall Tiles

Traditional Double Fired

Thickness 8,3 mm.

25x75

Pigment Gloss Blue



SPGR03 Botanical Pigm. Gloss Blue 25x75

Blue Forest A+B+C



SBOTR05 Botanical Blue Forest

Water Color A+B+C



SBOTR17 Botanical Water Color



Botanical Waater Color



Botanical Blue Forest

BOTANICAL

25x75

Wall Tiles

Traditional Double Fired

Thickness 8,3 mm.

25x75

Pigment Gloss White



SPGR01 Botanical Pigm. Gloss White 25x75

Essential A+B+C



SBOTR09 Botanical Essential

Romantic A+B+C+D



SBOTR25 Botanical Romantic



Botanical Essential



Botanical Romantic
125

RESINA'

60x120

Wall Tiles

Porcelain Stoneware

Thickness 9,5 mm.

PEI IV

Rectified

60x120

Jungle Bianco Mix



IRSD03 Resina' Jungle Bianco Mix RT 60x120

Jungle Avio Mix



IRSD04 Resina' Jungle Avio Mix RT 60x120



Jungle Bianco Mix 60x120



Jungle Avio Mix 60x120

RESINA'

60x120

Wall Tiles

Porcelain Stoneware

Thickness 9,5 mm.

PEI IV

Rectified


60x120

Forest Mix



IRSD01 Resina' Forest Mix RT 60x120


Triangle Gold Mix



IRSD02 Resina' Triangle Gold Mix RT 60x120



Forest Mix 60x120



Triangle Gold Mix 60x120

NATURA

60x120

Wall Tiles

Porcelain Stoneware

Thickness 10 mm.

Rectified

60x120

Felci Mix Verde



SNAP01 Natura Felci Mix Verde 60x120



Natura Felci Mix Verde 60x120



Natura Felci Mix Verde 60x120

NATURA

60x120

Wall Tiles

Porcelain Stoneware

Thickness 10 mm.

Rectified

60x120

Felci Mix Grigio



SNAP02 Natura Felci Mix Grigio 60x120



Natura Felci Mix Grigio 60x120



Natura Felci Mix Grigio 60x120

VERNISSAGE

25x60

Wall Tiles

Traditional Double Fired

Thickness 9,5 mm.

Monocaliber

25x60

Neve

Oliva



IVA100 Vernissage Neve 25x60

IVA300 Vernissage Oliva 25x60



IVA150 Trame Neve 25x60

IVA350 Trame Oliva 25x60

Oliva



IVAR25 Composizione Tropicana 10 facce 25x60



Composizione Tropicana



Vernissage Oliva 25x60
Trame Oliva 25x60
Composizione Tropicana 25x60

ECOSLATE

60x120
60x60

Wall Tiles	Porcelain Stoneware	Thickness 9 mm. Thickness 9,5 mm.	PEI IV	Rectified	60x120 60x60
------------	---------------------	--------------------------------------	--------	-----------	-----------------

Batik Beige



PSLPRZC2 Ecoslate Batik Beige RT 9,5 mm 60x120
PSLPRFC Ecoslate Batik Beige RT 9 mm 60x60



Ecoslate Batik Beige 60x120
Ecoslate Beige 60x120



Ecoslate Batik Beige 60x120
Ecoslate Beige 60x120

ESSENZIALE


25x75

Wall Tiles	Traditional Double Fired	Thickness 9 mm.	Monocaliber	25x75
------------	--------------------------	-----------------	-------------	-------

Imperial



IESR07 Imperial A+B 25x75



IESR01 Essenziale Bianco 25x75



IESR03 Onde Essenziale 25x75



IESR04 Linee Essenziale 25x75



IESR08 Essenziale Grigio 25x75



Onde Essenziale 25x75



Imperial A+B 25x75
Essenziale Bianco 25x75
Essenziale Grigio 25x75

MOMA
ceramiche group

Kitchen

ARTISAN	142
GRUNGE	144
TALE'	146

ARTISAN

25x60

Wall Tiles

Traditional Double Fired

Thickness 8,3 mm.

25x60

Bianco



SRAR01

Grigio



SRAR02

Cipria



SRAR04

Verde



SRAR03

Azzurro



SRAR05

Blu



SRAR06



Verde 25x60



Blu 25x60

GRUNGE

25x60

Floor Tiles
Wall Tiles

Porcelain Stoneware

Thickness 9 mm.

Not Rectified

7x21,6

Bianco posa 6 pz



SGRP01 Grunge Bianco

Grigio posa 6 pz




SGRP04 Grunge Grigio

Fumo posa 6 pz



SGRP03 Grunge Fumo

Verde posa 6 pz



SGRP06 Grunge Verde

Blu posa 6 pz



SGRP02 Grunge Blu

Nero posa 6 pz



SGRP05 Grunge Nero



Blu 25x60



Fumo 25x60

TALE'

21,6x21,6

Floor Tiles Wall Tiles	Porcelain Stoneware	Thickness 9 mm.	PEI IV	Not Rectified	21,6x21,6
---------------------------	---------------------	-----------------	--------	---------------	-----------

Misilmeri posa 4 pz



STAP04 Talè Misilmeri 21,6x21,6

Pachino posa 4 pz



STAP07 Talè Pachino 21,6x21,6

Mondello posa 4 pz



STAP05 Talè Mondello 21,6x21,6

Sferracavallo posa 4 pz



STAP08 Talè Sferracavallo 21,6x21,6

Makari posa 4 pz



STAP02 Talè Makari 21,6x21,6

Ortigia posa 4 pz



STAP06 Talè Ortigia 21,6x21,6

Ustica posa 4 pz



STAP09 Talè Ustica 21,6x21,6

Marzamemi posa 4 pz



STAP03 Talè Marzamemi 21,6x21,6



Ortigia 21,6x21,6



Mondello 21,6x21,6



Sferracavallo 21,6x21,6



Marzamemi 21,6x21,6



Pachino 21,6x21,6



Ustica 21,6x21,6


MOMA
ceramiche group



TECH INFO


Special Pieces

SKIRTING
7,2x30




Available on request

SKIRTING
7,4x45




Available on request

SKIRTING
6x60




Available on request

SKIRTING
7,2x60




Available on request

SKIRTING
6x80




Available on request

STAIR NOSING
30x60




Available on request

STAIR NOSING
33x60




Available on request

OUTSIDE CORNERS
(Left and Right)
30x60




Available on request

OUTSIDE CORNERS
(Left and Right)
33x60



Available on request

MONOLITIC
"ELLE" ELEMENT
15x30



Available on request

Instructions for the laying

All products & lines are of the highest quality, and their installation is easy and does not present any kind of inconvenience or require any special or unusual procedure. In order to obtain the best possible end result we suggest you to follow these simple steps.

INSTALLATION INSTRUCTIONS

These materials, being ceramic products, present chromatic and veining variations in the single pieces. The material you are about to install, if compared to the sample from which the selection was made, will present certain differences, the sample is just indicative of the characteristics of the products, it does not represent the whole production. Please, check and mix the setting materials before beginning installation. For the combined horizontal-vertical setting, the joint between the vertical elements should be half the size of the one between the horizontal elements. IE: 1,5 mm between the vertical elements and 3 mm between the horizontal. The same for the combined setting of 15,3x100 with horizontal. In the showers we recommend you use water resistant grout for the joints.

The company disclaims all responsibility for installations carried out with adhesive different from those indicated or from others that are not technically and unmistakably the same.



CE Marking

The Company fulfils its CE marking obligations through

UNI EN Regulations

The **UNI EN** standards, adopted by the CEN (European Committee for Standardization) are valid throughout Europe and apply to all types of first choice tiles, pressed and extruded, glazed and unglazed, of any size. The UNI EN standards are compatible with the latest amendments of the new ISO international standards, and include:

GENERAL REGULATIONS

The new harmonised standard EN 14411 that provides definitions, classifications, features and designation requirement for ceramic tiles and annuls and replaces standard **EN 87**.

The new standard **UNI EN ISO 10545_1** that sets forth the rules for the composition of sample lots, and replaces the previous standard EN 163.

PRODUCT REGULATIONS

Ceramic tiles are divided into groups according to how they are formed and their water absorption characteristics. In terms of forming methods, there are two groups: **A** and **B**:

- A** Extruded tiles (formed by means of passing a malleable paste through an extrusion machine; the resulting band is cut into the desired dimensions).
- B** Pressed tiles (obtained by pressing powdered raw materials in special molds). Afterwards, these tiles may be glazed or not.

The groups are broken down further according to their water absorption characteristic (porosity):

- Gruppo BIa = $E \leq 0,5\%$ **UNI EN 14411_G**
- Gruppo BIb = $0,5\% < E \leq 3\%$ **UNI EN 14411_H**
- Gruppo BIIa = $3\% < E \leq 6\%$ **UNI EN 14411_J**
- Gruppo BIIb = $6\% < E \leq 10\%$ **UNI EN 14411_K**
- Gruppo BIII = $E > 10\%$ **UNI EN 14411_L**

The regulations define the sizes, the size tolerances, the mechanical, physical and chemical properties, the appearance and designation of the ceramic tiles in each group. The present range of Herberia files is entirely composed of pressed tiles and belongs to groups BIa, BIb, BIIa, BIIb, BIII.

REGULATIONS FOR TESTING METHODS

These regulations define the methods to be used for determining size and appearance characteristics, as well as physical and chemical properties.

Standard **14411** refers to the testing methods of the new **UNI EN ISO 10545** standard.

Technical Characteristics

UNI EN 1441 GRUPPO BLA GL Porcelain Stoneware Wall and Floor Tiles				
CARATTERISTICHE TECNICHE TECHNICAL FEATURES TECHNISCHE EIGENSCHAFTEN CARACTERISTIQUES TECHNIQUES	NORMA NORM NORME REGULATION	VALORI PRESCRITTI INTERNATIONAL STANDARD INTERNATIONALE NORMWERTE VALEURS PRESCRITES	VALORI MEDI AVERAGE VALUE MITTELWERT VALEURS MOYENNES	
LUNGHEZZA E LARGHEZZA LENGTH AND WIDTH LAENGE UND BREITE DER FLIESE LONGUEUR ET LARGEUR	UNI EN ISO 10545-2	$\pm 0,6\%$	CONFORME IN ACCORDANCE ENTSPRECHEND CONFORME	
SPessore THICKNESS STAERKE EPAISSEUR	UNI EN ISO 10545-2	$\pm 5\%$	CONFORME IN ACCORDANCE ENTSPRECHEND CONFORME	
RETTILINEITÀ DEGLI SPIGOLI STRAIGHTNESS GERADLINGKEIT EQUERRAGE DES ANGLES	UNI EN ISO 10545-2	$\pm 0,5\%$	CONFORME IN ACCORDANCE ENTSPRECHEND CONFORME	
ORTOGONALITÀ RECTANGULARITY RECHTWINKLIGKEIT ORTHOAGONALITE	UNI EN ISO 10545-2	$\pm 0,6\%$	CONFORME IN ACCORDANCE ENTSPRECHEND CONFORME	
PLANARITÀ WARPAGE EBENFLACHIGKEIT PLANEITE	UNI EN ISO 10545-2	$\pm 0,5\%$	CONFORME IN ACCORDANCE ENTSPRECHEND CONFORME	
ASSORBIMENTO D'ACQUA WATER ABSORPTION WASSERAUFNAHME ABSORPTION D'EAU	UNI EN ISO 10545-3	$\leq 0,5\%$	CONFORME IN ACCORDANCE ENTSPRECHEND CONFORME	
RESISTENZA ALLA FLESSIONE BREAKING STRENGTH BIEGEFESTIGKEIT RESISTANCE A LA FLEXION	UNI EN ISO 10545-4	$> 35 \text{ N/mm}^2$	CONFORME IN ACCORDANCE ENTSPRECHEND CONFORME	
FORZA DI ROTTURA BREAKING FORCE IN N BRUCHLAST IN N CHARGE DE RUPTURE	UNI EN ISO 10545-4	-	-	
CARICO DI ROTTURA BREAKING FORCE IN N BRUCHLAST IN N CHARGE DE RUPTURE	UNI EN ISO 10545-4	1.300 N min	CONFORME IN ACCORDANCE ENTSPRECHEND CONFORME	
RESISTENZA AGLI SBALZI TERMICI THERMAL SHOCK RESISTANCE TEMPERATURWECHSELBESTAENDIGKEIT RESISTANCE AUX CHOCX THERMIQUES	UNI EN ISO 10545-9	NESSUN DANNO NO DAMAGE KEIN SHADEN AUCUN DOMMAGE	CONFORME IN ACCORDANCE ENTSPRECHEND CONFORME	
RESISTENZA AL CAVILLO CRAZING RESISTANCE HAARISS-BESTAENDIGKEIT RESISTANCE AUX CRAQUELURES	UNI EN ISO 10545-11	MPD	CONFORME IN ACCORDANCE ENTSPRECHEND CONFORME	
RESISTENZA AL GELO FROST RESISTANCE FROSTBESTAENDIGKEIT RESISTANCE AU GEL	UNI EN ISO 10545-12	RICHIESTA REQUEST	RESISTENTE RESISTANT BESTÄNDIG RÉSISTANT	
RESISTENZA ALL'ATTACCO CHIMICO CHEMICAL RESISTANCE SAEUERE-LAUGEBESTAENDIGKEIT RESISTANCE A L'ATTAQUE CHIMIQUE	UNI EN ISO 10545-13	CLASSE UB min	CONFORME IN ACCORDANCE ENTSPRECHEND CONFORME	
RESISTENZA ALLE MACCHIE STAIN RESISTANCE BESTAENDIGKEIT GEGEN FLECKEN RESISTANCE AUX TACHES	UNI EN ISO 10545-14	CLASSE 3 min	CONFORME IN ACCORDANCE ENTSPRECHEND CONFORME	
RESISTENZA ALLO SCIVOLAMENTO SLIP RESISTANCE RUTSCHFESTIGKEIT RESISTANCE AU GLISSEMENT	DIN 51130 ASTM-C 1028	ATTRITO SODDISFACENTE SATISFACTORY FRICTION BEFRIEDIGENDE REIBUNG FRICTION SATISFAISANTE	R9 DRY 074 WET 0,61	
PEI	UNI EN ISO 10545-7	Classi di abrasione da I a V Abrasion class from da I to V Abriebklassen I bis V Classe d'abrasion de I à V	PEI IV	

MOMA

ceramiche group

Coronation House, Vicarage Lane
Hoo, Rochester, ME3 9LB
Tel 01634254418
info@plus39.co.uk
orders@plus39.co.uk
www.plus39.co.uk
www.momaceramichegroup.com

